

September 2022 Education

Clinical Practice Disease-Specific Guidelines
Traumatic Wounds



Agenda

SerenaGroup Clinical Guidelines
Traumatic Wounds

- Definition
- Cause
- Treatment
- Risk Factors
- Dressing Options
- Appropriate Follow-Up
- Codes Related
- Quiz




Definition



- **Traumatic Wound:** a wound or laceration of traumatic origin with no evidence of contamination or signs of active infection.
- **Dirty Traumatic Wound:** a wound or laceration of traumatic origin that is contaminated. The risk of infection is high.
- **Infected Traumatic Wound:** a wound or laceration of traumatic origin with signs of infection (secretions).



Cause



Traumatic wounds are caused by external force applied to the body.



Treatment



- Follow the SerenaGroup® The Practice of Wound Care™.
- Consider negative wound pressure therapy.



Risk Factors



- Patients with multiple comorbidities are at higher risk for poor healing.



Dressing Options



- Maintain proper moisture balance
- Refer to SerenaGroup® Formulary




Follow-up



- Weekly follow-up visits until healed



Codes Related



S08.111S-S08.89XS, S09.311S-S09.313S,
S28.1XXS-S29.002S, S38.211S-S39.023S,
T81.30XS-T81.89XS, T87.41-T87.89



QUIZ TIME

Traumatic Wounds

Serena Group

Serena Group

Question 1

Traumatic Wounds

A traumatic wound is a wound or laceration of traumatic origin with signs of infection (secretions).

FALSE

TRUE



Answer 1

Traumatic Wounds

A **traumatic wound** is a wound or laceration of traumatic origin with signs of infection (secretions).

FALSE

infected traumatic
wound



Question 2

Traumatic Wounds

Traumatic wounds are caused by external force applied to the body.

FALSE

TRUE



Answer 2

Traumatic Wounds

Traumatic wounds are caused by external force applied to the body.



Question 3

Traumatic Wounds

Treatment for traumatic wounds includes following the SerenaGroup® The Practice of Wound Care and consider negative wound pressure therapy.

FALSE

TRUE



Answer 3

Traumatic Wounds

Treatment for traumatic wounds includes following the SerenaGroup® The Practice of Wound Care and consider negative wound pressure therapy.



Question 4

Traumatic Wounds

Patients with multiple comorbidities are at lower risk for poor healing.

FALSE

TRUE



Answer 4

Traumatic Wounds

Patients with multiple comorbidities are at **lower** risk for poor healing.

higher

FALSE



Reference

To view the SerenaGroup Clinical Practice Disease-Specific Guidelines -- go to www.serenagroupinc.com in the Member's Portal



Evidence-Based Wound Care Practice Guidelines

2nd Edition

This document is the property of SerenaGroup®, Inc. Information contained in this document is confidential and proprietary to SerenaGroup® and may not be copied, modified or further disclosed without the prior written consent of SerenaGroup®. This document must not be used directly or indirectly to the detriment of SerenaGroup® and must be returned to SerenaGroup® in accordance with the terms of the management services agreement. These guidelines will be updated every two years.

Thank you!

SerenaGroup Education Committee

helpline@serenagroups.com

info@serenagroups.com

www.serenagroupinc.com

